



POWER COMPANIES  
MEASUREMENT OF THE TENSILE FORCES OF OVERHEAD LINES WITH A FORCE GAUGE. INVALID SEARCH  
RESULT.

DIGITAL FORCE-MEASURING DEVICES (EXTERNAL SENSOR) | KERN FH-M-EXT

Tension masts must be built very stably in order to be able to absorb the tensile forces of the cables when the direction of the cable routing changes. These tensile forces are checked during assembly because they have to comply with a specific standard (60N/sqmm).. The control is carried out effectively and quickly with a force gauge. Invalid search result.



Model	Max. Force	Readability	Price
FH 10K	10 kN	5 N	€ 1,500.-
<b>Suitable Accessories:</b> <ul style="list-style-type: none"><li>● Factory calibration certificate 961-164 (tension   N) - 961-164 - €410.-</li></ul>			



<https://partner.kern-sohn.com/Segment/B0A7E>

\* DAkkS calibrations are also possible on site  
All prices plus VAT and shipping costs valid until 07.02.2026

For expert advice, please contact:



**Irmis Russo** Productspecialist  
Tel : +49 7433 9933-208  
russo@kern-sohn.com

Application number: EN - 949

**KERN & SOHN GmbH**  
Ziegelei 1  
72336 Balingen, Germany  
info@kern-sohn.com  
[www.kern-sohn.com](http://www.kern-sohn.com)